

X20 880/881 CANBUS LED Headlight Bulb H7 H4 H11 H8 9012 65W 12000LM for Car LED Headlight

Our Product Introduction

for more products please visit us on automotive-ledlight.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: HAOHIGH
- Certification: ce
- Model Number: X20 880/881
- Minimum Order Quantity: 20 sets
- Price: \$7.12 - \$8.70/sets
- Packaging Details: in box
- Delivery Time: 30 days
- Payment Terms: T/T, Western Union
- Supply Ability: 10000 Piece per Month





Product Specification

- Year: Universal
- Model: X20 880/881
- OE No.: X20 880/881
- Voltage: 9V-18V
- Warranty: 1 Year
- Product Name: H7 H4 H11 H8 9012 Car LED Headlight Bulb
- Power: 65W
- LED Chip: 5530
- Lumen: 6000 Lm
- Color Temperature: 6000K
- Lifespan: 30000hrs



More Images



Product Description

Mini E2 Led Car Headlights Bulb Automotive Lighting System H4 H7 H11 9005 9006 Auto head lamp light plug and play

Product Description

Item No.	Mini E2 Led Car Headlights Bulb
Base Type	Aviation aluminum
Available Colors	White
Led Chips	5530
Voltage	9V-18V
Lumens	6000lm
Power	32W
Color temperature	6000K
Warranty	1 Year
Packing	color box packing
Life	>30000hrs
Waterproof rate	IP68

Our Product Introduction

APPLICATION & PACKAGING

APPLICABLE VEHICLES



CARS



SUVS,
TRUCKS



ATV,
MOTORCYCLE

FEATURES

Brightness: 12000LM

Working Power: 55W

Lifespan: 30000 Hours

Waterproof: IP65

Guarantee: 1 Year

SUPER QUALITY X20 LED HEADLIGHTS



190mm*160mm*60mm



20 sets
Per carton



400mm*345mm*345mm

REAL SHOOT PICTURES


Stable Output: 55W@12000LM



LANSEKO

X20 LED HEADLIGHT





Color Parameters:

Chromaticity Coordinate: $x=0.3129$ $y=0.3164$ $u'=0.2028$ $v'=0.4614$
 $T_c=6601K$ (Duv=-0.0035) Dominant WL: $\lambda_d=480.0nm$ Purity=8.5%
 Ratio: R=14.1% G=82.3% B=3.6% Peak WL: $\lambda_p=448.1nm$ HWL: $\lambda_{hd}=22.5nm$
 Render Index: Ra=73.8
 R1 =75 R2 =76 R3 =74 R4 =77 R5 =76 R6 =67 R7 =80
 R8 =67 R9 =0 R10=40 R11=76 R12=45 R13=74 R14=85 R15=72

Photo Parameters:

Flux = 5489 lm Eff. : 87.89 lm/W $P_e = 17.81 W$

Electrical parameters:

V = 13.50 V I = 4.627 A P = 62.46 W PF = 1.000
 LEVEL:OUT WHITE:OUT


Status: Integral T = 1 ms $I_p = 35576$ (54%)







Powerful OEM service



CERTIFICATES



MAIN PRODUCTS



LED Headlight



High power LED Bulbs



SMD LED Bulbs



HID Xenon Kit



LED Neon Light



LED Angel Eye



LED Strip light



Off-road working light



Day Running Lights

Injection molding workshop



CNC machining workshop



Our production line



SALE TEAM



FACTORY & TRADING SHOW



Production Line

Aging Test

Production Line

CNC Center

Production Line

Appearance Check



2017 2017 Spring Canton Fair



2013 Automechanika Istanbul 2013




2013 2013 America SEMA Show



2012 2012 Spring Canton Fair



2010 2010 Spring Canton Fair



FACTORY SHOW



CERTIFICATE



HAOHI HAOHI CO., LTD



15813693852



hedva511@163.com



automotive-ledlight.com

Room 803, Chevalier House, 45-51 Chatham Road South, Tsim Sha Tsui, Kowloon, Hong Kong.